

FROM-IV  
ANNUAL REPORT

Sl. No.	Particulars	:	
1	Particulars of the Occupier		
	(i) Name of the authorized person (occupier or operator of facility)		Shitanshu Bharati
	(ii) Name of HCF		PI Industries Ltd
	(iii) Address for Correspondence	:	Udai sagar road, Udaipur
	(iv) Address of Facility		Udai Sagar road, Udaipur
	(v) Tel. No, Fax. No	:	+91 294 6651100
	(vi) E-mail ID	:	Subrata.pal@piind.com
	(vii) URL of Website		<a href="http://www.piindustries.com">www.piindustries.com</a>
	(viii) GPS coordinates of HCF or CBMWTF		Not Available
	(ix) Ownership of HCF or CBMWTF	:	Factory
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization Letter No. – BMW/2018-2019/Udaipur/BMW/2, Date- 17/04/2018
(xi). Status of Consents under Water Act and Air Act	:	Applied (Application ID: 191082, Dt. 03/08/2017)	
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds : Nil
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	First aid center under factory establishment
	(iii) License number and its date of expiry		NA
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	NA
	(ii) No of beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	NA
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category: 215.3 gm/month
			Red Category : 228 gm/month
			White: 34.5 gm/month
			Blue Category : 37.5 gm/month
			General Solid waste: 72 gm/month
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	:	Size : NA
			Capacity : NA
			Provision of on-site storage : (cold storage or any other provision) NA

FROM-IV  
ANNUAL REPORT

	disposal facilities		Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
			Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:			- - -
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	NA			
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	Collection is done on every alternate day by vehicle of authorize disposal facility M/S- En-vision Enviro Engineers PvtLtd.			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity generated	Where disposed	
			Incineration Ash ETP Sludge	NA NA NA		
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	En- Vision Enviro Engineers Pvt Ltd, Udaipur			
	(vii) List of member HCF not handed over bio-medical waste.		NA			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		NA			
7	Details trainings conducted on BMW					
	(i) Number of trainings conducted on BMW		Once/year			


FROM-IV  
ANNUAL REPORT

	(ii) number of personnel trained		05
	(iii) number of personnel trained at the time of induction		02
	(iv) number of personnel not undergone any training so far		Nil
	(v) whether standard manual for training is available?		Yes
	(vi) any other information)		
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Nil
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		All the domestic liquid waste is treated in BIO_ETP with activated sludge process
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12	Any other relevant information	:	

Certified that the above report is for the period from Jan- 2017 to Dec-2017

Date: 18-06-2018

Place: Udaipur



Name and Signature of the Head of the Institution

**PI INDUSTRIES LTD.**  
Post Box No. 20, Udai Sagar Road  
UDAIPUR-313 001 (RAJ.)